

# SAFETY DATA SHEET



## CYCLO® CHAIN & CABLE LUBE

Version 2.5      Revision Date: 04/23/2025      SDS Number: 600000001132      Date of last issue: 04/10/2024  
Date of first issue: 08/28/2017

---

### SECTION 1. IDENTIFICATION

Product name : CYCLO CHAIN & CABLE LUBE 6/11OZ  
Product code : C661

#### Manufacturer or supplier's details

Company name of supplier : Niteo Products, LLC  
Address : 720 Vaiden Drive, Hernando, MS 38632  
Email Address : EHS@niteoproducts.com  
Telephone : 1-844-696-4836  
Emergency telephone number : 1-800-424-9300 / 1-703-741-5970

#### Recommended use of the chemical and restrictions on use

Recommended use : Lubricant  
Restrictions on use : Use only outdoors or in a well-ventilated area.

---

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable aerosols : Category 1  
Skin irritation : Category 2  
Eye irritation : Category 2A  
Reproductive toxicity : Category 2  
Specific target organ toxicity - single exposure : Category 3 (Central nervous system)  
Specific target organ toxicity - repeated exposure (Inhalation) : Category 2 (Nervous system)  
Aspiration hazard : Category 1

#### GHS label elements

# SAFETY DATA SHEET



## CYCLO® CHAIN & CABLE LUBE

Version 2.5      Revision Date: 04/23/2025      SDS Number: 600000001132      Date of last issue: 04/10/2024  
Date of first issue: 08/28/2017

---

Hazard pictograms

:



Signal word

:

Danger

Hazard statements

:

Extremely flammable aerosol.  
May be fatal if swallowed and enters airways.  
Causes skin irritation.  
Causes serious eye irritation.  
May cause drowsiness or dizziness.  
Suspected of damaging fertility.  
May cause damage to organs (Nervous system) through prolonged or repeated exposure if inhaled.

Precautionary statements

:

**Prevention:**

Obtain special instructions before use.  
Do not handle until all safety precautions have been read and understood.  
Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.  
Do not spray on an open flame or other ignition source.  
Pressurized container: Do not pierce or burn, even after use.  
Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.  
Wash skin thoroughly after handling.  
Use only outdoors or in a well-ventilated area.  
Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**

IF SWALLOWED: Immediately call a POISON CENTER/ doctor.  
IF ON SKIN: Wash with plenty of soap and water.  
IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
IF exposed or concerned: Get medical advice/ attention.  
Do NOT induce vomiting.  
If skin irritation occurs: Get medical advice/ attention.  
If eye irritation persists: Get medical advice/ attention.  
Take off contaminated clothing and wash before reuse.

**Storage:**

Store in a well-ventilated place. Keep container tightly closed.  
Store locked up.  
Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.

**Disposal:**

Dispose of contents/ container to an approved waste disposal plant.

# SAFETY DATA SHEET



## CYCLO® CHAIN & CABLE LUBE

Version 2.5      Revision Date: 04/23/2025      SDS Number: 600000001132      Date of last issue: 04/10/2024  
Date of first issue: 08/28/2017

### Other hazards

None known.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Hazardous components

Chemical name	CAS-No.	Concentration (% w/w)
Distillates (petroleum)	64742-52-5	>= 50 - <= 60
Petroleum gases, liquefied, sweetened	68476-86-8	>= 20 - <= 30
Acetone	67-64-1	>= 1 - <= 10
n-Hexane	110-54-3	>= 1 - <= 10
Methyl acetate	79-20-9	>= 1 - <= 10
Naphtha (petroleum)	64742-48-9	>= 1 - <= 10

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

### SECTION 4. FIRST AID MEASURES

- General advice : Move out of dangerous area.  
Show this safety data sheet to the doctor in attendance.  
Symptoms of poisoning may appear several hours later.  
Do not leave the victim unattended.
- If inhaled : Move to fresh air.  
Consult a physician after significant exposure.  
If unconscious, place in recovery position and seek medical advice.  
If symptoms persist, call a physician.
- In case of skin contact : If on clothes, remove clothes.  
Remove contaminated clothing. If irritation develops, get medical attention.  
If on skin, rinse well with water.  
Wash contaminated clothing before re-use.  
If skin irritation persists, call a physician.
- In case of eye contact : Immediately flush eye(s) with plenty of water.  
Remove contact lenses.  
Protect unharmed eye.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.
- If swallowed : Obtain medical attention.  
Do NOT induce vomiting.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.  
If symptoms persist, call a physician.
- Most important symptoms and effects, both acute and delayed : May be fatal if swallowed and enters airways.  
Causes skin irritation.  
Causes serious eye irritation.  
May cause drowsiness or dizziness.

# SAFETY DATA SHEET



## CYCLO® CHAIN & CABLE LUBE

Version 2.5      Revision Date: 04/23/2025      SDS Number: 600000001132      Date of last issue: 04/10/2024  
Date of first issue: 08/28/2017

---

Suspected of damaging fertility.  
May cause damage to organs through prolonged or repeated exposure if inhaled.  
This material (or a component) has produced hyperglycemia and ketosis following substantial ingestion.

---

### SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Water spray  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical  
Alcohol-resistant foam
  - Unsuitable extinguishing media : High volume water jet
  - Specific hazards during fire-fighting : Do not allow run-off from fire fighting to enter drains or water courses.
  - Hazardous combustion products : Carbon oxides
  - Specific extinguishing methods : Product is compatible with standard fire-fighting agents.
  - Further information : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.  
Use a water spray to cool fully closed containers.
  - Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
- 

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Remove all sources of ignition.  
Ensure adequate ventilation.  
Avoid breathing dust.  
Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.  
Evacuate personnel to safe areas.  
Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.
  - Environmental precautions : Prevent further leakage or spillage if safe to do so.  
Prevent product from entering drains.  
Do not flush into surface water or sanitary sewer system.  
If the product contaminates rivers and lakes or drains inform respective authorities.
- 

### SECTION 7. HANDLING AND STORAGE

## CYCLO® CHAIN &amp; CABLE LUBE

Version 2.5      Revision Date: 04/23/2025      SDS Number: 600000001132      Date of last issue: 04/10/2024  
Date of first issue: 08/28/2017

- Advice on protection against fire and explosion : Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours).  
Keep away from open flames, hot surfaces and sources of ignition.  
Use only explosion-proof equipment.  
Do not spray on a naked flame or any incandescent material.
- Advice on safe handling : Open drum carefully as content may be under pressure.  
Provide sufficient air exchange and/or exhaust in work rooms.  
Do not breathe vapours/dust.  
Do not smoke.  
Take precautionary measures against static discharges.  
Avoid contact with skin and eyes.  
Dispose of rinse water in accordance with local and national regulations.  
Container hazardous when empty.  
Smoking, eating and drinking should be prohibited in the application area.  
For personal protection see section 8.
- Conditions for safe storage : BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects.  
Keep container tightly closed in a dry and well-ventilated place.  
Containers which are opened must be carefully resealed and kept upright to prevent leakage.  
Observe label precautions.  
No smoking.
- Further information on storage stability : No decomposition if stored and applied as directed.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Acetone	67-64-1	TWA	250 ppm	ACGIH
		STEL	500 ppm	ACGIH
		TWA	250 ppm 590 mg/m <sup>3</sup>	NIOSH REL
		TWA	1,000 ppm 2,400 mg/m <sup>3</sup>	OSHA Z-1
		TWA	750 ppm 1,800 mg/m <sup>3</sup>	OSHA P0
		STEL	1,000 ppm 2,400 mg/m <sup>3</sup>	OSHA P0
n-Hexane	110-54-3	TWA	50 ppm	ACGIH
		TWA	50 ppm 180 mg/m <sup>3</sup>	NIOSH REL
		TWA	500 ppm	OSHA Z-1

# SAFETY DATA SHEET



## CYCLO® CHAIN & CABLE LUBE

Version 2.5      Revision Date: 04/23/2025      SDS Number: 600000001132      Date of last issue: 04/10/2024  
 Date of first issue: 08/28/2017

			1,800 mg/m3	
		TWA	50 ppm 180 mg/m3	OSHA P0
Methyl acetate	79-20-9	TWA	200 ppm	ACGIH
		STEL	250 ppm	ACGIH
		TWA	200 ppm 610 mg/m3	NIOSH REL
		ST	250 ppm 760 mg/m3	NIOSH REL
		TWA	200 ppm 610 mg/m3	OSHA Z-1
		TWA	200 ppm 610 mg/m3	OSHA P0
		STEL	250 ppm 760 mg/m3	OSHA P0

### Hazardous components without workplace control parameters

Components	CAS-No.
Distillates (petroleum)	64742-52-5
Naphtha (petroleum)	64742-48-9

### Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sam-pling time	Permissible concentra-tion	Basis
Acetone	67-64-1	Acetone	Urine	End of shift (As soon as possible after exposure ceases)	25 mg/l	ACGIH BEI
n-Hexane	110-54-3	2,5-Hexanedi-one	Urine	End of shift	0.5 mg/l	ACGIH BEI

**Engineering measures** : Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

### Personal protective equipment

**Respiratory protection** : In the case of vapour formation use a respirator with an approved filter.  
 In the case of dust or aerosol formation use respirator with an approved filter.

**Hand protection**

**Remarks** : Wear resistant gloves (consult your safety equipment supplier). The suitability for a specific workplace should be discussed with the producers of the protective gloves. Discard gloves that show tears, pinholes, or signs of wear.

**Eye protection** : Wear chemical splash goggles when there is the potential for

# SAFETY DATA SHEET



## CYCLO® CHAIN & CABLE LUBE

Version 2.5      Revision Date: 04/23/2025      SDS Number: 600000001132      Date of last issue: 04/10/2024  
Date of first issue: 08/28/2017

---

exposure of the eyes to liquid, vapor or mist.

Skin and body protection : Choose body protection according to the amount and concentration of the dangerous substance at the work place.  
Wear as appropriate:  
Impervious clothing  
Flame-resistant clothing  
Safety shoes

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice.  
When using do not smoke.  
When using do not eat or drink.

---

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : aerosol

Colour : black

Odour : hydrocarbon-like

Odour Threshold : not determined

pH : not determined

Melting point/freezing point : not determined

Boiling point/boiling range : not determined

Flash point : -104 °C  
Method: closed cup

Evaporation rate : not determined

Flammability (solid, gas) : not determined

Self-ignition : not determined

Upper explosion limit / Upper flammability limit : not determined

Lower explosion limit / Lower flammability limit : 1 %(V)  
not determined

Vapour pressure : not determined

Relative vapour density : not determined

Density : 0.821 g/cm<sup>3</sup>

Solubility(ies)  
Water solubility : not determined

Partition coefficient: n-octanol/water : not determined

# SAFETY DATA SHEET



## CYCLO® CHAIN & CABLE LUBE

Version 2.5      Revision Date: 04/23/2025      SDS Number: 600000001132      Date of last issue: 04/10/2024  
Date of first issue: 08/28/2017

---

Decomposition temperature : not determined

Viscosity  
  Viscosity, dynamic : not determined

  Viscosity, kinematic : not determined

Molecular weight : Not applicable

VOC % By Weight : 24.86 %

---

### SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reactions : No decomposition if stored and applied as directed.  
Vapours may form explosive mixture with air.

Conditions to avoid : Heat, flames and sparks.

Incompatible materials : Strong acids  
Alkalis  
Oxidizing agents

Hazardous decomposition products : Carbon oxides

---

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Inhalation  
Eye contact  
Skin contact  
Ingestion

#### Acute toxicity

Not classified based on available information.

#### **Product:**

Acute inhalation toxicity : Acute toxicity estimate: 52.5 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg  
Method: Calculation method

#### **Components:**

##### **Distillates (petroleum):**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

---

**CYCLO® CHAIN & CABLE LUBE**

Version 2.5      Revision Date: 04/23/2025      SDS Number: 600000001132      Date of last issue: 04/10/2024  
Date of first issue: 08/28/2017

---

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg  
Assessment: No adverse effect has been observed in acute dermal toxicity tests.

**Acetone:**

Acute oral toxicity : LD50 (Rat, female): 5,800 mg/kg

Acute inhalation toxicity : LC50 (Rat, female): 76 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour

Acute dermal toxicity : LD50 (Rabbit): > 7,426 mg/kg

**n-Hexane:**

Acute oral toxicity : LD50 (Rat, male and female): ca. 16 g/kg

Acute inhalation toxicity : LC50 (Rat, male): 5000 ppm  
Exposure time: 24 h  
Test atmosphere: vapour  
Remarks: No mortality observed at this dose.

Acute dermal toxicity : LD50 (Rabbit, male and female): > 2,000 mg/kg  
Assessment: No adverse effect has been observed in acute dermal toxicity tests.

**Methyl acetate:**

Acute oral toxicity : LD50 (Rat, male): 6,482 mg/kg  
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rabbit): > 49.2 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: No adverse effect has been observed in acute dermal toxicity tests.

**Naphtha (petroleum):**

Acute oral toxicity : LD50 (Rat): > 6,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 8.5 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 3,160 mg/kg

**Skin corrosion/irritation**

Causes skin irritation.

**Product:**

Remarks: May cause skin irritation and/or dermatitis.

# SAFETY DATA SHEET



## CYCLO® CHAIN & CABLE LUBE

Version 2.5      Revision Date: 04/23/2025      SDS Number: 600000001132      Date of last issue: 04/10/2024  
Date of first issue: 08/28/2017

---

### **Components:**

#### **Acetone:**

Result: Possibly irritating to skin

Result: Repeated exposure may cause skin dryness or cracking.

#### **n-Hexane:**

Result: Irritating to skin.

#### **Methyl acetate:**

Species: Rabbit

Method: OECD Test Guideline 404

Result: Possibly irritating to skin

#### **Naphtha (petroleum):**

Result: Irritating to skin.

#### **Serious eye damage/eye irritation**

Causes serious eye irritation.

### **Product:**

Remarks: Vapours may cause irritation to the eyes, respiratory system and the skin.

### **Components:**

#### **Acetone:**

Result: Irritating to eyes.

Assessment: Irritating to eyes.

#### **n-Hexane:**

Result: Possibly irritating to eyes

#### **Methyl acetate:**

Species: Rabbit

Result: Irritating to eyes.

Method: OECD Test Guideline 405

#### **Respiratory or skin sensitisation**

##### **Skin sensitisation**

Not classified based on available information.

##### **Respiratory sensitisation**

Not classified based on available information.

### **Components:**

#### **Methyl acetate:**

Assessment: Does not cause skin sensitisation.

# SAFETY DATA SHEET



## CYCLO® CHAIN & CABLE LUBE

Version 2.5      Revision Date: 04/23/2025      SDS Number: 600000001132      Date of last issue: 04/10/2024  
Date of first issue: 08/28/2017

---

### **Germ cell mutagenicity**

Not classified based on available information.

### **Components:**

#### **Methyl acetate:**

Genotoxicity in vitro : Remarks: In vitro tests did not show mutagenic effects

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Rat  
Method: OECD Test Guideline 474  
Result: negative

### **Carcinogenicity**

Not classified based on available information.

#### **IARC**

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

#### **OSHA**

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

#### **NTP**

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

### **Reproductive toxicity**

Suspected of damaging fertility.

### **Components:**

#### **n-Hexane:**

Reproductive toxicity - Assessment : Suspected of damaging fertility., Some evidence of adverse effects on sexual function and fertility, based on animal experiments.

### **STOT - single exposure**

May cause drowsiness or dizziness.

### **Components:**

#### **Acetone:**

Exposure routes: Inhalation  
Target Organs: Nervous system  
Assessment: May cause drowsiness or dizziness.

#### **n-Hexane:**

Target Organs: Central nervous system  
Assessment: May cause drowsiness or dizziness.

#### **Methyl acetate:**

Target Organs: Central nervous system  
Assessment: The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.

# SAFETY DATA SHEET



## CYCLO® CHAIN & CABLE LUBE

Version 2.5      Revision Date: 04/23/2025      SDS Number: 600000001132      Date of last issue: 04/10/2024  
Date of first issue: 08/28/2017

---

### **Naphtha (petroleum):**

Exposure routes: Inhalation  
Target Organs: Central nervous system  
Assessment: May cause drowsiness or dizziness.

### **STOT - repeated exposure**

May cause damage to organs (Nervous system) through prolonged or repeated exposure if inhaled.

### **Components:**

#### **n-Hexane:**

Exposure routes: Inhalation  
Target Organs: Nervous system  
Assessment: May cause damage to organs through prolonged or repeated exposure.

### **Repeated dose toxicity**

### **Components:**

#### **Methyl acetate:**

Species: Rat  
NOAEL: 1.05 mg/l  
Application Route: Inhalation  
Test atmosphere: dust/mist  
Exposure time: N11.00322320  
Method: OECD Test Guideline 412

### **Aspiration toxicity**

May be fatal if swallowed and enters airways.

### **Components:**

#### **Distillates (petroleum):**

May be fatal if swallowed and enters airways.

#### **Acetone:**

May be harmful if swallowed and enters airways.

#### **n-Hexane:**

May be fatal if swallowed and enters airways.

### **Naphtha (petroleum):**

May be fatal if swallowed and enters airways.

### **Further information**

#### **Product:**

Remarks: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

# SAFETY DATA SHEET



## CYCLO® CHAIN & CABLE LUBE

Version 2.5      Revision Date: 04/23/2025      SDS Number: 600000001132      Date of last issue: 04/10/2024  
Date of first issue: 08/28/2017

---

### SECTION 12. ECOLOGICAL INFORMATION

#### Toxicity

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Harmful to aquatic life with long lasting effects.

---

### SECTION 13. DISPOSAL CONSIDERATIONS

#### Disposal methods

Waste from residues : Dispose of in accordance with all applicable local, state and federal regulations.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.  
Do not burn, or use a cutting torch on, the empty drum.

---

### SECTION 14. TRANSPORT INFORMATION

Dangerous goods descriptions (if indicated below) may not reflect quantity, end-use, or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

#### International Regulations

##### IATA-DGR

UN/ID No. : UN 1950  
Proper shipping name : Aerosols, flammable  
Class : 2.1  
Packing group : Not assigned by regulation  
Labels : 2.1  
Packing instruction (cargo aircraft) : 203  
Packing instruction (passenger aircraft) : 203

##### IMDG-Code

UN number : UN 1950  
Proper shipping name : AEROSOLS  
Class : 2.1  
Packing group : Not assigned by regulation  
Labels : 2.1  
EmS Code : F-D, S-U  
Marine pollutant : no

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### National Regulations

##### 49 CFR

UN/ID/NA number : UN 1950  
Proper shipping name : Aerosols



# SAFETY DATA SHEET



## CYCLO® CHAIN & CABLE LUBE

Version  
2.5

Revision Date:  
04/23/2025


SDS Number:  
600000001132

Date of last issue: 04/10/2024  
Date of first issue: 08/28/2017

### SECTION 16. OTHER INFORMATION

#### Further information

#### NFPA:



Revision Date : 04/23/2025

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN